

2020



ULLORJA GROUP

We Are Here To Serve You


www.ullorjagroup.com

Reseller

REENGO
Bright Decision



LED BULBS



VOLT
170 - 265V

HERTZ
50 - 60Hz

LIFETIME
30000h

CRI
 $R_a \geq 80$

LIGHT EFFICIENCY
90lm/W

POWER FACTOR
PF ≥ 0.6





	Watt	Lampbase	Lumen
GO-4320 A60 SMD LED	5W	E27	450lm
GO-4335 A60 SMD LED	5W	B22	450lm
GO-4321 A60 SMD LED	7W	E27	630lm
GO-4336 A60 SMD LED	7W	B22	630lm
GO-4331 A60 SMD LED	9W	E27	810lm
GO-4322 A60 SMD LED	10W	E27	900lm
GO-4337 A60 SMD LED	10W	B22	900lm
GO-4323 A60 SMD LED	12W	E27	1080lm
GO-4338 A60 SMD LED	12W	B22	1080lm
GO-4365 A65 SMD LED	14W	E27	1260lm
GO-4341 A70 SMD LED	16W	E27	1440lm
GO-4339 A60 SMD LED 2.4V	7W	E27	630lm
GO-4379 A60 SMD LED 2.4V	10W	E27	900lm



	Watt	Lampbase	Lumen
GO-4312 CANDLE SMD LED	5W	E14	450lm
GO-4311 CANDLE SMD LED	5W	E27	450lm
GO-4326 CANDLE SMD LED	5W	B22	450lm
GO-4313 CANDLE SMD LED	7W	E14	630lm
GO-4318 CANDLE SMD LED	7W	E27	630lm
GO-4327 CANDLE SMD LED	7W	B22	630lm
GO-4314 TAILED SMD LED	5W	E14	450lm
GO-4319 TAILED SMD LED	5W	E27	450lm
GO-4328 TAILED SMD LED	5W	B22	450lm
GO-4315 TAILED SMD LED	7W	E14	630lm
GO-4324 TAILED SMD LED	7W	E27	630lm
GO-4329 TAILED SMD LED	7W	B22	630lm



	Watt	Lampbase	Lumen
GO-4316 G45 SMD LED	5W	E27	450lm
GO-4325 G45 SMD LED	5W	E14	450lm
GO-4330 G45 SMD LED	5W	B22	450lm
GO-4317 G45 SMD LED	7W	E27	630lm
GO-4371 G45 SMD LED	7W	E14	630lm
GO-4372 G45 SMD LED	7W	B22	630lm



	Watt	Lampbase	Lumen
GO-4067 R50 SMD LED	5W	E14	450lm
GO-4068 R63 SMD LED	7W	E27	630lm
GO-4069 R80 SMD LED	10W	E27	900lm



	Watt	Lampbase	Lumen
GO-4264 SMD LED SPOT BULB	5W	GU5.3	400lm
GO-4266 SMD LED SPOT BULB	7W	GU5.3	560lm
GO-4219 SMD LED SPOT BULB 12V	7W	GU5.3	560lm
GO-4263 SMD LED SPOT BULB	5W	GU10	400lm
GO-4265 SMD LED SPOT BULB	7W	GU10	560lm



	Watt	Lampbase	Lumen
GO-4267 SMD LED SPOT BULB with lens	5W	GU5.3	400lm
GO-4269 SMD LED SPOT BULB with lens	7W	GU5.3	560lm
GO-4268 SMD LED SPOT BULB with lens	5W	GU10	400lm
GO-4270 SMD LED SPOT BULB with lens	7W	GU10	560lm



	Watt	Lampbase	Lumen
GO-4211 SMD LED SPOT BULB with lens	5W	GU5.3	400lm
GO-4213 SMD LED SPOT BULB with lens	7W	GU5.3	560lm
GO-4212 SMD LED SPOT BULB with lens	5W	GU10	400lm
GO-4214 SMD LED SPOT BULB with lens	7W	GU10	560lm



	Watt	Lampbase	Lumen
GO-4350 SMD LED CAPSULE 12V	2W	G4	120lm
GO-4351 SMD LED CAPSULE	3W	G9	240lm
GO-4352 LED FRIDGE LAMP	3W	E14	200lm



	Watt	Lampbase	Lumen
GO-4450 COB LED CAPSULE 12V	2W	G4	200lm
GO-4452 COB LED CAPSULE 220V	2W	G4	200lm
GO-4451 COB LED CAPSULE	3W	G9	300lm




	Watt	Lampbase	Lumen
GO-4390 LED PAR30 BULB	40W	E27	3600lm
GO-4491 LED PAR30 BULB	35W	E27	3150lm





LED BIG SIZE BULBS



Energy



VOLT

178 - 265V

HERTZ

50 - 60Hz

LIFETIME

25000h

CRI

$R_a \geq 80$

LIGHT
EFFICIENCY

90 - 100lm/W

POWER
FACTOR

PF ≥ 0.9





	Watt	Lampbase	Lumen
GO-4382 LED T BULB	28W	E27	2380lm
GO-4383 LED T BULB	38W	E27	3230lm
GO-4384 LED T BULB	48W	E27	4080lm



	Watt	Lampbase	Lumen
GO-4390 LED PAR30 BULB	40W	E27	3600lm
GO-4491 LED PAR30 BULB	35W	E27	3150lm



	Watt	Lampbase	Lumen
GO-4386 LED UFO BULB	30W	E27	2700lm
GO-4387 LED UFO BULB	50W	E27	4500lm



	Watt	Lampbase	Lumen	Dia
GO-5701 LED HIGHBAY LAMP	30W	E27	2400lm	300mm
GO-5702 LED HIGHBAY LAMP	50W	E27	4000lm	350mm
GO-5703 LED HIGHBAY LAMP	70W	E27	5600lm	380mm




	Watt	Lampbase	Lumen
GO-4395 LED STREETLIGHT BULB	40W	E40	3600lm



2 years
WARRANTY



LED FILAMENT BULBS



VOLT
180-265V

HERTZ
50-60Hz

LIFETIME
25000h

CRI
 $R_a \geq 80$

LIGHT EFFICIENCY
100lm/W

POWER FACTOR
PF ≥ 0.8





	Watt	Lampbase	Lumen
GO-4307 A60 LED FILAMENT	4W	E27	400lm
GO-4310 A60 LED FILAMENT	4W	B22	400lm
GO-4366 A60 LED FILAMENT	4W	E14	400lm
GO-4308 A60 LED FILAMENT	6W	E27	600lm
GO-4367 A60 LED FILAMENT	6W	B22	600lm
GO-4361 A60 LED FILAMENT	6W	E14	600lm
GO-4309 A60 LED FILAMENT	8W	E27	800lm
GO-4368 A60 LED FILAMENT	8W	B22	800lm
GO-4362 A60 LED FILAMENT	8W	E14	800lm



	Watt	Lampbase	Lumen
GO-4301 CANDLE LED FILAMENT	2W	E14	200lm
GO-4363 CANDLE LED FILAMENT	2W	E27	200lm
GO-4364 CANDLE LED FILAMENT	2W	B22	200lm
GO-4302 CANDLE LED FILAMENT	4W	E14	400lm
GO-4342 CANDLE LED FILAMENT	4W	E27	400lm
GO-4343 CANDLE LED FILAMENT	4W	B22	400lm



	Watt	Lampbase	Lumen
GO-4305 G45 LED FILAMENT	2W	E27	200lm
GO-4369 G45 LED FILAMENT	2W	B22	200lm
GO-4348 G45 LED FILAMENT	2W	E14	200lm
GO-4306 G45 LED FILAMENT	4W	E27	400lm
GO-4370 G45 LED FILAMENT	4W	B22	400lm
GO-4349 G45 LED FILAMENT	4W	E14	400lm




	Watt	Lampbase	Lumen
GO-4303 TAILED LED FILAMENT	2W	E14	200lm
GO-4344 TAILED LED FILAMENT	2W	E27	200lm
GO-4345 TAILED LED FILAMENT	2W	B22	200lm
GO-4304 TAILED LED FILAMENT	4W	E14	400lm
GO-4346 TAILED LED FILAMENT	4W	E27	400lm
GO-4347 TAILED LED FILAMENT	4W	B22	400lm



LED TUBES & FIXTURES



up to
**90%
Energy
Saving**



VOLT
170 - 265V

HERTZ
50 - 60Hz

LIFETIME
30000h

CRI
 $R_a \geq 80$

**LIGHT
EFFICIENCY**
90 - 100lm/W

**POWER
FACTOR**
PF ≥ 0.9





	Watt	Size	Lumen
GO-4239 T8 COB LED TUBE	25W	120cm	2800lm
GO-4238 T8 COB LED TUBE	30W	120cm	3100lm



	Watt	Size	Lumen
GO-4230 T8 LED TUBE (Glass Type)	9W	60cm	900lm
GO-4231 T8 LED TUBE (Glass Type)	18W	120cm	1800lm



	Watt	Size	Lumen
GO-4130 T5 LED TUBE (Glass Type)	9W	55cm	900lm
GO-4131 T5 LED TUBE (Glass Type)	18W	115cm	1800lm



	Light Source	Size
GO-4240 T8 LED TUBE FIXTURE	1x9W	60cm
GO-4241 T8 LED TUBE FIXTURE	1x18W	120cm
GO-4242 T8 LED TUBE FIXTURE	2x9W	60cm
GO-4243 T8 LED TUBE FIXTURE	2x18W	120cm




	Light Source	Size
GO-4249 WATERPROOF FIXTURE W/O TUBE	2x9W	60cm
GO-4250 WATERPROOF FIXTURE W/O TUBE	2x18W	120cm



WARRANTY



LED RECHARGEABLE BULBS & FIXTURES



Energy



VOLT

85 - 265V

HERTZ

50 - 60Hz

CRI

$R_a \geq 80$

POWER
FACTOR

$PF \geq 0.9$

CHARGING
TIME

8 Hours



SMD
2835

SMD
5630





	Watt	Duration	Battery
GO-4404 RECHARGEABLE LED BULB	7W	4hrs	Li-on
GO-4405 RECHARGEABLE LED BULB	9W	4hrs	Li-on




	Watt	Duration	Battery
GO-S821 RECHARGEABLE LED CEILING FIXTURE(with Motion Sensor)	12W	3hrs	Li-on



	Watt	Duration	Battery
GO-8200 RECHARGEABLE LED LANTERN (DC)	6W	7hrs	Li-on
GO-8201 RECHARGEABLE LED LANTERN (AC/DC)	6W	7hrs	Li-on



	Watt	Duration	Battery
GO-8205 RECHARGEABLE LED LANTERN (DC)	5W	7hrs	Li-on
GO-8206 RECHARGEABLE LED LANTERN (DC)	8W	7hrs	Li-on





BATTERY



ZINC CARBON		VOLT 1.5V	JACKET MATERIAL Metal	USAGE Best Before 5 Years	R6P R03	OPERATING TEMP. -18°C to 55°C
ALKALINE		VOLT 1.5V	JACKET MATERIAL Aluminum	USAGE Best Before 5 Years	LR6 LR03	OPERATING TEMP. -18°C to 55°C



	Size	Max. Height	Max. Diameter	mAh
GO-5011 ZINC CARBON BATTERY	AA	50.5mm	14.5mm	760mAh



	Size	Max. Height	Max. Diameter	mAh
GO-5012 ZINC CARBON BATTERY	AAA	44.5mm	10.5mm	320mAh



	Size	Max. Height	Max. Diameter	mAh
GO-5013 ALKALINE BATTERY	AA	50.5mm	14.5mm	2900mAh




	Size	Max. Height	Max. Diameter	mAh
GO-5014 ALKALINE BATTERY	AAA	44.5mm	10.5mm	1300mAh





LED PANELS



VOLT 85 - 265V	HERTZ 50 - 60Hz	LIFETIME 25000h	CRI $R_a \geq 80$	LIGHT EFFICIENCY 70 - 90lm/W	POWER FACTOR $PF \geq 0.9/0.9$
CE	ERC	RoHS	UV FREE	ISOLATED DRIVER	SMD 2835
					IP 20



	Watt	Lumen	Thickness
GO-5285 60x60cm LED BACKLIT PANEL	48W	4320lm	20mm
GO-5380 60x60cm LED BACKLIT PANEL	70W	6300lm	33mm



	Watt	Lumen	PF
GO-5281 60x60cm LED PANEL	36W	2880lm	0.9
GO-5282 60x60cm LED PANEL	48W	3840lm	0.9
GO-5283 60x60cm LED PANEL ECO	36W	2520lm	0.6
GO-5289 60x60cm LED PANEL	48W	3360lm	0.6



	Watt	Lumen	Dia In/Out
GO-5301 SLIM PANEL	3W	225lm	70/85mm
GO-5302 SLIM PANEL	6W	450lm	105/120mm
GO-5303 SLIM PANEL	9W	675lm	120/145mm
GO-5304 SLIM PANEL	12W	900lm	155/170mm
GO-5305 SLIM PANEL	15W	1125lm	165/190mm
GO-5306 SLIM PANEL	18W	1350lm	210/220mm
GO-5307 SLIM PANEL	24W	1800lm	282/300mm



	Watt	Lumen	Dia In/Out
GO-5331 SLIM PANEL	3W	225lm	70/85mm
GO-5332 SLIM PANEL	6W	450lm	105/120mm
GO-5333 SLIM PANEL	9W	675lm	120/145mm
GO-5334 SLIM PANEL	12W	900lm	155/170mm
GO-5335 SLIM PANEL	15W	1125lm	165/190mm
GO-5336 SLIM PANEL	18W	1350lm	210/220mm
GO-5337 SLIM PANEL	24W	1800lm	282/300mm



	Watt	Lumen	Dia In/Out
GO-5311 SLIM PANEL ECO	3W	150lm	70/85mm
GO-5312 SLIM PANEL ECO	6W	300lm	105/120mm
GO-5313 SLIM PANEL ECO	9W	450lm	120/145mm
GO-5314 SLIM PANEL ECO	12W	600lm	155/170mm
GO-5315 SLIM PANEL ECO	15W	750lm	165/190mm
GO-5316 SLIM PANEL ECO	18W	900lm	205/225mm
GO-5317 SLIM PANEL ECO	24W	1200lm	282/300mm




	Watt	Lumen	Dia In/Out
GO-5321 SLIM PANEL ECO	3W	150lm	70/85mm
GO-5322 SLIM PANEL ECO	6W	300lm	105/120mm
GO-5323 SLIM PANEL ECO	9W	450lm	120/145mm
GO-5324 SLIM PANEL ECO	12W	600lm	155/170mm
GO-5325 SLIM PANEL ECO	15W	750lm	165/190mm
GO-5326 SLIM PANEL ECO	18W	900lm	205/225mm
GO-5327 SLIM PANEL ECO	24W	1200lm	282/300mm



UP TO 2 years
WARRANTY

LED DOWNLIGHTS



VOLT
85-265V

HERTZ
50-60Hz

LIFETIME
25000h

CRI
 $R_a \geq 80$

LIGHT EFFICIENCY
90lm/W

POWER FACTOR
 $PF \geq 0.9$



ISOLATED DRIVER

SMD 2835





	Watt	Lumen	Dia In/Out
GO-5610 LED DOWNLIGHT ali	7W	630lm	65x90mm
GO-5611 LED DOWNLIGHT ali	12W	1080lm	100x120mm
GO-5612 LED DOWNLIGHT ali	18W	1620lm	150x170mm
GO-5613 LED DOWNLIGHT ali	24W	2160lm	205x225mm



	Watt	Lumen	Dia In/Out
GO-5294 SMD LED DOWNLIGHT with 3 Color	5W	300lm	75x100mm
GO-5295 SMD LED DOWNLIGHT with 3 Color	5W	300lm	75x100mm
GO-5296 SMD LED DOWNLIGHT with 3 Color	5W	300lm	75x100mm



	Watt	Lumen	Dia In/Out
GO-5623 LED DOWNLIGHT	9W	720lm	75x100mm
GO-5625 LED DOWNLIGHT	12W	960lm	85x117mm
GO-5627 LED DOWNLIGHT	18W	1440lm	113x145mm
GO-5629 LED DOWNLIGHT	24W	1920lm	141x180mm
GO-5631 LED DOWNLIGHT	36W	2880lm	185x225mm
GO-5632 LED DOWNLIGHT	45W	3600lm	185x225mm



	Watt	Lumen	Dia In/Out
GO-5292 SMD LED DOWNLIGHT	5W	400lm	75x90mm
GO-5293 SMD LED DOWNLIGHT	5W	400lm	75x90mm
GO-5297 COB LED DOWNLIGHT	7W	700lm	75x90mm



	Watt	Lumen	Dia In/Out
GO-5259 LED SLIM DOWNLIGHT	12W	1200lm	45x80mm
GO-5260 LED SLIM DOWNLIGHT	18W	1980lm	45x110mm
GO-5261 LED SLIM DOWNLIGHT	24W	2880lm	45x165mm
GO-5290 LED SLIM DOWNLIGHT	36W	4680lm	45x220mm



	Watt	Lumen	Dia In/Out
GO-5255 LED DOWNLIGHT ECO	5W	400lm	75x100mm
GO-5256 LED DOWNLIGHT ECO	10W	800lm	85x120mm
GO-5257 LED DOWNLIGHT ECO	15W	1200lm	105x145mm
GO-5258 LED DOWNLIGHT ECO	20W	1600lm	145x180mm

2 years

WARRANTY

SPOTLIGHT FIXTURES



VOLT

220 - 240V

WATT

max. 50W

CE

EAC



IP
20

IP
65



	Lampbase	Size	Cutout
GO-5230 Spotlight Fixture	GU5.3/GU10	100mm	45mm
GO-5231 Spotlight Fixture	GU5.3/GU10	100mm	45mm



	Lampbase	Size	Cutout
GO-5244 Spotlight Fixture	GU5.3	70mm	40mm
GO-5245 Spotlight Fixture	GU10	70mm	40mm
GO-5246 Spotlight Fixture	GU5.3	70mm	40mm
GO-5247 Spotlight Fixture	GU10	70mm	40mm



	Lampbase	Size	Cutout
GO-5226 Spotlight Fixture (Glass Type)	GU5.3	90mm	65mm
GO-5227 Spotlight Fixture (Glass Type)	GU5.3	90mm	65mm



	Lampbase	Size	Cutout
GO-5228 Spotlight Fixture (Glass Type)	GU5.3	90mm	65mm
GO-5229 Spotlight Fixture (Glass Type)	GU5.3	90mm	65mm




	Lampbase	Size	Cutout
GO-5223 Spotlight Fixture	GU5.3/GU10	85mm	34mm
GO-5224 Spotlight Fixture	GU5.3/GU10	85mm	34mm



	Lampbase	Size	Cutout
GO-5225 Spotlight Fixture SPS	GU5.3/GU10	82mm	54mm



LED WALL FIXTURES



VOLT 85 - 265V	HERTZ 50 - 60Hz	LIFETIME 30000h	CRI $R_a \geq 80$	LIGHT EFFICIENCY 80 - 90lm/W	POWER FACTOR $PF \geq 0.8$
CE	ERC	RoHS	UV FREE	IC DRIVER	SMD 2835



	Watt	Lumen	Size	Protection Class
GO-2474 LED CABINET <i>alu</i>	18W	1440lm	60cm	IP20
GO-2475 LED CABINET <i>alu</i>	36W	2880lm	120cm	IP20
GO-2476 LED CABINET <i>roze</i>	18W	1350lm	60cm	IP20
GO-2477 LED CABINET <i>roze</i>	36W	2700lm	120cm	IP20



	Watt	Lumen	Size	Protection Class
GO-2494 LED WATERPROOF BATTEN LIGHT	54W	4990lm	120cm	IP65



	Watt	Lumen	Size	Protection Class
GO-2480 T5 ROUND BATTEN	6W	450lm	30cm	IP20
GO-2481 T5 ROUND BATTEN	9W	675lm	60cm	IP20
GO-2482 T5 ROUND BATTEN	14W	1050lm	90cm	IP20
GO-2483 T5 ROUND BATTEN	18W	1350lm	120cm	IP20




	Watt	Lumen	Protection Class
GO-5210 LED OUTDOOR STEPLIGHT	2W	200lm	IP20





LED CEILING FIXTURES



VOLT 185-265V	HERTZ 50-60Hz	LIFETIME 30000h	CRI $R_a \geq 80$	LIGHT EFFICIENCY 80-90lm/W	POWER FACTOR $PF \geq 0.9$
CE	EAC	RoHS	UV FREE	IC DRIVER	SMD 2835



	Watt	Lumen	Size
GO-5406 LED UFO PANEL	18W	1620lm	40X150cm
GO-5407 LED UFO PANEL	18W	1620lm	40X150cm



	Watt	Protection Class
GO-5410 LED BULKHEAD CEILING FIXTURE	15W	IP54
GO-5411 LED BULKHEAD CEILING FIXTURE	15W	IP54



	Watt	Lumen	Protection Class
GO-5271 LED PANEL	18W	1440lm	IP20
GO-5262 LED PANEL ECO	6W	300lm	IP20
GO-5263 LED PANEL ECO	12W	600lm	IP20
GO-5264 LED PANEL ECO	18W	900lm	IP20
GO-5265 LED PANEL ECO	24W	1200lm	IP20
GO-5272 LED PANEL	18W	1440lm	IP20
GO-5266 LED PANEL ECO	6W	300lm	IP20
GO-5267 LED PANEL ECO	12W	600lm	IP20
GO-5268 LED PANEL ECO	18W	900lm	IP20
GO-5269 LED PANEL ECO	24W	1200lm	IP20



	Watt	Lumen	Protection Class
GO-5820 LED CEILING FIXTURE (with Motion Sensor)	12W	960lm	IP20

	Watt	Duration	Battery
GO-5821 LED RECHARGEABLE LED CEILING FIXTURE (with Motion Sensor)	12W	3hrs	Li-ion



	Watt	Lumen	Protection Class
GO-5211 LED SURFACE CABINET LIGHT	2W	200lm	IP44



	Light Source	Size
GO-4249 WATERPROOF FIXTURE W/O TUBE	2x9W	60cm
GO-4250 WATERPROOF FIXTURE W/O TUBE	2x18W	120cm

2 years

WARRANTY



SPOTLIGHT FIXTURES



VOLT

220 - 240V

WATT

max. 50W





	Lampbase	Size	Protection Class
GO-S232 Spotlight Fixture	GU5.3/GU10	100x110mm	IP20



	Lampbase	Size	Protection Class
GO-S233 Spotlight Fixture	GU5.3/GU10	100x110mm	IP20



	Lampbase	Size	Protection Class
GO-S234 Spotlight Fixture	GU5.3/GU10	100x110mm	IP20




	Lampbase	Size	Protection Class
GO-S248 Spotlight Fixture	GU5.3	80x85mm	IP20
GO-S249 Spotlight Fixture	GU10	80x85mm	IP20





LED OFFICE LIGHTS



VOLT 165-265V	HERTZ 50-60Hz	LIFETIME 30000h	CRI $R_i \geq 80$	LIGHT EFFICIENCY 90-90lm/W	POWER FACTOR $PF \geq 0.9$
CE	ERC	RoHS	UV FREE	IC DRIVER	SMD 2835



	Watt	Size	Lumen
GO-2490 LED OFFICE LIGHT	24W	7,5x120cm	2160lm
GO-2491 LED OFFICE LIGHT	36W	10x120cm	3240lm



	Watt	Size	Lumen
GO-2490 LED OFFICE LIGHT	24W	7,5x120cm	2160lm
GO-2491 LED OFFICE LIGHT	36W	10x120cm	3240lm



	Watt	Size	Lumen
GO-2492 LED OFFICE LIGHT	48W	15x120cm	4320lm
GO-2493 LED OFFICE LIGHT	60W	20x120cm	5400lm




	Watt	Size	Lumen
GO-2492 LED OFFICE LIGHT	48W	15x120cm	4320lm
GO-2493 LED OFFICE LIGHT	60W	20x120cm	5400lm





LED TRACK LIGHTS & ACCESSORIES



VOLT
170 - 265V

HERTZ
50 - 60Hz

LIFETIME
30000h

CRI
 $R_a \geq 80$

LIGHT EFFICIENCY
90lm/W

POWER FACTOR
PF ≥ 0.9





	Watt	Lumen	Size
GO-4460 COB TRACK LIGHT	30W	3000lm	90x132mm



	Watt	Lumen	Size
GO-4461 COB TRACK LIGHT	30W	3000lm	80x180mm



	Watt	Lumen	Size
GO-4463 COB TRACK LIGHT	30W	2550lm	100x150mm



	Watt	Lumen	Protection Class
GO-4399 LED PAR30 TRACK LIGHT	40W	3600lm	IP20



	Watt	Lumen	Protection Class
GO-4398 LED PAR30 TRACK LIGHT	40W	3600lm	IP20



	Watt	Lumen	Protection Class
GO-4397 LED PAR30 TRACK LIGHT	35W	3150lm	IP20
GO-4396 LED PAR30 TRACK LIGHT	40W	3600lm	IP20



	Size
GO-9600 TRACK BAR	100cm
GO-9601 TRACK BAR	150cm
GO-9602 TRACK BAR	200cm

	Type
GO-9603 TRACK BAR CONNECTOR	Straight
GO-9604 TRACK BAR CONNECTOR	L
GO-9605 TRACK BAR CONNECTOR	T
GO-9606 TRACK BAR CONNECTOR	Cross



	Lampbase	Size
GO-4391 PAR30 FIXTURE	E27	115x140mm

	Watt	Lampbase	Lumen
GO-4390 LED PAR30 BULB	40W	E27	3600lm
GO-4491 LED PAR30 BULB	35W	E27	3150lm





2 years

WARRANTY

LED FLOODLIGHTS



Energy



VOLT

85 - 265V

HERTZ

50 - 60Hz

LIFETIME

30000h

CRI

$R_a \geq 83$

REFLECTOR

Nano/Pt



ISOLATED DRIVER

SMD 2835

SMD 3535





	Watt	Lumen	PF
GO-4654 LED SLIM FLOODLIGHT	10W	900lm	0.9
GO-4655 LED SLIM FLOODLIGHT	20W	1800lm	0.9
GO-4656 LED SLIM FLOODLIGHT	30W	2700lm	0.9
GO-4657 LED SLIM FLOODLIGHT	50W	4500lm	0.9
GO-4658 LED SLIM FLOODLIGHT	70W	6300lm	0.9
GO-4659 LED SLIM FLOODLIGHT	100W	9000lm	0.9
GO-4660 LED SLIM FLOODLIGHT	150W	13500lm	0.9
GO-4661 LED SLIM FLOODLIGHT	200W	18000lm	0.9

	Watt	Lumen	PF
GO-4641 SMD LED FLOODLIGHT	20W	2000lm	0.6
GO-4642 SMD LED FLOODLIGHT	30W	3000lm	0.6
GO-4643 SMD LED FLOODLIGHT	50W	5000lm	0.9
GO-4646 SMD LED FLOODLIGHT	100W	10000lm	0.9
GO-4647 SMD LED FLOODLIGHT	150W	15000lm	0.9
GO-4648 SMD LED FLOODLIGHT	200W	20000lm	0.9




	Watt	Lumen	PF
GO-4644 SMD LED FLOODLIGHT	300W	30000lm	0.9
GO-4645 SMD LED FLOODLIGHT	400W	40000lm	0.9



	Watt	Lumen	PF
GO-4637 SMD LED FLOODLIGHT	300W	24000lm	0.9
GO-4638 SMD LED FLOODLIGHT	400W	32000lm	0.9



LED STREETLIGHTS AND HIGHBAYS



VOLT

85 - 265V

HERTZ

50 - 60Hz

LIFETIME

30000h

CRI

$R_a \geq 80$

POWER
FACTOR

$PF \geq 0.9$



ISOLATED
DRIVER

SMD
3535

SMD
5730





	Watt	Lumen	Protection Class
GO-4725 ADJUSTABLE LED STREETLIGHT	50W	5000lm	IP65
GO-4726 ADJUSTABLE LED STREETLIGHT	100W	10000lm	IP65



	Watt	Lumen	Warranty
GO-4718 LED STREETLIGHT ECO	80W	6800lm	2 years
GO-4719 LED STREETLIGHT ECO	100W	8500lm	2 years
GO-4728 LED STREETLIGHT ECO	150W	12750lm	2 years
GO-4729 LED STREETLIGHT ECO	200W	17000lm	2 years





	Watt	Lumen	Warranty
GO-5712 LED UFO LAMP	100W	9000lm	2 years
GO-5713 LED UFO LAMP	150W	13500lm	2 years
GO-5714 LED UFO LAMP	200W	18000lm	2 years
GO-5715 LED UFO LAMP	300W	27000lm	2 years





LED UNDERWATER FIXTURES



VOLT

12V

HERTZ

50-60Hz

LIFETIME

20000h

CRI

$R_a \geq 85$



ISOLATED
DRIVER

SMD
2835





	Watt	Lumen	Protection Class
GO-7600 LED POOL LIGHT	35W	3000lm	IP68




	Watt	Lumen	Protection Class
GO-7601 LED POOL LIGHT	15W	1500lm	IP68





GARDEN LIGHTS



VOLT

220 - 240V

WATT

max.40W



SMD
2835





	Watt	Lumen	Protection Class
GO-7312 LED GARDEN LIGHT	12W	840lm	IP65



	Watt	Lumen	Protection Class
GO-7313 LED GARDEN LIGHT	12W	840lm	IP65



	Watt	Lumen	Protection Class
GO-7314 LED GARDEN LIGHT	12W	840lm	IP65



	Watt	Lumen	Protection Class
GO-7315 LED GARDEN LIGHT	12W	840lm	IP65



	Watt	Height
GO-7330 LED WALL LIGHT IP65	4W	120mm
GO-7331 LED WALL LIGHT IP65	4W	123mm



	Watt	Protection Class
GO-7300 COB LED GARDEN LIGHT	5W	IP65
GO-7305 SOLAR GARDEN LIGHT	0.04W	IP44



	Lampholder	Height
GO-7049 GARDEN LIGHT IP54	E27	245mm
GO-7050 GARDEN LIGHT IP54	E27	245mm
GO-7051 GARDEN LIGHT IP54	E27	245mm



	Lampholder	Height
GO-7040 GARDEN LIGHT IP44	GU10	95mm
GO-7041 GARDEN LIGHT IP44	GU10	165mm



	Lampholder	Size
GO-7042 GARDEN LIGHT IP44	GU10	92x67x75mm
GO-7043 GARDEN LIGHT IP44	GU10	92x65x150mm



	Lampholder	Size
GO-7044 GARDEN LIGHT IP44	GU10	92x67x75mm
GO-7045 GARDEN LIGHT IP44	GU10	92x65x150mm



	Lampholder	Height
GO-7046 GARDEN LIGHT IP54	GU10	150mm
GO-7047 GARDEN LIGHT IP54	GU10	240mm



	Lampholder	Height
GO-7048 GARDEN LIGHT IP44	GU10	100mm



	Lampholder	Height
GO-7032 GARDEN LIGHT IP44	E27	380mm



	Lampholder	Height
GO-7005 GARDEN LIGHT IP44	E27	405mm
GO-7007 GARDEN LIGHT IP44	E27	344mm



	Lampholder	Height
GO-7033 GARDEN LIGHT IP44	E27	972mm



	Lampholder	Height
GO-7008 GARDEN LIGHT IP44	E27	325mm



	Lampholder	Height
GO-7034 GARDEN LIGHT IP44	E27	330mm



	Lampholder	Height
GO-7009 GARDEN LIGHT IP44	E27	500mm
GO-7010 GARDEN LIGHT IP44	E27	800mm