


GLOSS LIGHT


World of Lights

ULLORJA GROUP


Kavajë, Albania | www.UllorjaGroup.com

ULTRATHIN TRACK SYSTEM


PRODUCT CATALOGUE




MT25-T
85 x 55 x 5.5mm
Page07




25-End cap
25 x 6.4 x 8mm
Page07



MT25-IN
55 x 25 x 5.5mm
Page07




MT25-X
110 x 110 x 5.5mm
Page07




MT25-Direct input sub
50 x 25 x 5.5mm
Page07


Page08



MT25-L
55 x 55 x 5.5mm
Page07




MT25-I
30 x 30 x 5.5mm
Page07




UT25-100W
(290+58.6) x 25 x 27.6 mm
Page01


UT25-200W
(345+58.6) x 25 x 27.6 mm
Page07




UT25-Angle module
300 x 25 x 15mm
Page08



UT25-Through module
118.5 x 25 x 15mm
Page08






UT25-R2C-END CAP
28 x 33 x 12.5mm
Page08




UT25-X module
250 x 250 x 15mm
Page08




UT25-100W
(290+58.6) x 25 x 27.6 mm
Page08

UT25-200W
(345+58.6) x 25 x 27.6 mm
Page08



UT25-T module
135 x 250 x 15mm
Page08



UT25

Size: 25x5.5

Length:1000mm/2000mm


Ultrathin Track Installation




MULTIPLE INSTALLATION METHODS

Abandoning tedious construction steps and installing independently by one person, paired with specialized installation accessories, to cope with the limitations of various installation environments.

UT25 | Track rail




Surface mounted / lifting track




Embedded track




Embedded track




Embedded track



Soft film ceiling track



Integrated honeycomb board track



Concealed track combination


Surface mounted track combination

Ultrathin track system
Multipurpose installation to address various installation limitations.




Hoisting track assembly


UT25 | Electrical connection-2




MT25-T
Three - way connector




MT25-I
Straight connector




MT25-X Link
Four - way connector




MT25-L
90° - angle connector




MT25-IN
Inside connector




MT25-C
Curve - angle connector




MT25-W
Adjustable connector



MT25-1+2
1+2 Splicable connector




Mt25
Splicable connector




MT25-1+4
1+4 Splicable connector


UT25 | Electrical connection-1




Corner Link
size: 18*25*172mm




Straight Link
size: 18*25*120mm



Input modle
size: 18*25*550mm





T Link
size: 250*137.5*18.2mm




X Link
size: 18.2*250*250mm

Power connector module







Product Code	Finish	Size(mm)
UT25-H	●	L50*W25*H5.5
UT25-Φ75	○	L83*Φ75*H30





Product Code	Watt	Finish	Warranties
UT25-PWS-200	200W	● ○	3year



Product Code	Watt	Finish	Warranties	System Options
UT25-PWS-RP-100	100W	●	3year	on/off, matter, tuya
UT25-PWS-RP-200	200W	○	3year	Bluetooth, Triac, 0-10V


BL- Hook
φ40 x H37.5mm
Page11
BL- Recessed
φ90 x H32.5mm
Page11
Braided Belt
Braided Belt
UT25
BL-Surface plug
φ54 x H36mm
Page11
BL-Surface power
φ165 x H32mm
Page11
BL-Trimless
φ80 x H25.5mm
Page11
BL25-Convert
24.5 x 30 x 7.5mm
Page11
BL-End clip
22.5 x 15 x 6.5mm
Page11
BL-Base
φ58 x H35mm
Page11





UT25-FLR6
114.5 x 27.5 x 25mm
Page14

UT25-GLR6
114.5 x 27.5 x 25mm
Page15

UT25-AGR6
114.5 x 27.5 x 25mm
Page16

UT25-FLR12
222 x 27.5 x 25mm
Page14

UT25-GLR12
222 x 27.5 x 25mm
Page15


UT25-AGR12
222 x 27.5 x 25mm
Page16


UT25-FLR18
330 x 27.5 x 25mm
Page14

UT25-GLR18
330 x 27.5 x 25mm
Page15

UT25-AGR18
330 x 27.5 x 25mm
Page16

Installation Instruction






UT25 | Ultron

BASIC INFORMATION

PRODUCT CODE	UT25-FLR6	UT25-FLR12	UT25-FLR18
WATT	6W	12W	16W
LUMEN	320LM	683LM	1024LM
PRODUCT SIZE	114.5*27.5*25	222*27.5*25	330*27.5*25
VOLTAGE	40-48V		
CRI	Ra>90		
FINISH	● BK ○ WH		
CCT	3000K / 4000K / 5000K		
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT		

DIMENSION (unit: mm)



BEAM ANGLE



100°



UT25-FLR6



UT25-FLR12



UT25-FLR18

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

UT25 | Cyclops


GLR SERIES

BASIC INFORMATION

PRODUCT CODE	UT25-GLR6	UT25-GLR12	UT25-GLR18
WATT	6W	12W	16W
LUMEN	599LM	1123LM	1521LM
PRODUCT SIZE	114.5*27.5*25	222*27.5*25	330*27.5*25

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE





UT25-GLR6



UT25-GLR12



UT25-GLR18

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

UT25 | Spiders


AGR SERIES

BASIC INFORMATION

PRODUCT CODE	UT25-AGR6	UT25-AGR12	UT25-AGR18
WATT	6W	12W	16W
LUMEN	88LM	170LM	158LM
PRODUCT SIZE	114.5*27.5*25	222*27.5*25	330*27.5*25

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)




BEAM ANGLE





UT25-AGR6




UT25-AGR12



UT25-AGR18

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.



UT25-FLRM6
114.5 x 58 x 25mm
Page18

UT25-GLRM6
114.5 x 58 x 25mm
Page19

UT25-AGRM6
114.5 x 58 x 25mm
Page20

UT25-FLRM12
222 x 58 x 25mm
Page18

UT25-GLRM12
222 x 58 x 25mm
Page19

UT25-AGRM12
222 x 58 x 25mm
Page20

UT25-FLRM18
330 x 58 x 25mm
Page18

UT25-GLRM18
330 x 58 x 25mm
Page19

UT25-AGRM18
330 x 58 x 25mm
Page20


UT25 | Ultron


BASIC INFORMATION

PRODUCT CODE	UT25-FLRM6	UT25-FLRM12	UT25-FLRM18
WATT	6W	12W	16W
LUMEN	384LM	701LM	922LM
PRODUCT SIZE	114.5*58*25	222*58*25	330*58*25

VOLTAGE	40-48V
CRI	Ra>90
FINISH	● BK ○ WH
CCT	● 3000K / ● 4000K / ● 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)





BEAM ANGLE



100°



UT25-FLRM6



UT25-FLRM12



UT25-FLRM18

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

UT25 | Cyclops


GLRM SERIES

BASIC INFORMATION

PRODUCT CODE	UT25-GLRM6	UT25-GLRM12	UT25-GLRM18
WATT	6W	12W	16W
LUMEN	599LM	1123LM	1435LM
PRODUCT SIZE	114.5*58*25	222*58*25	330*58*25

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE





UT25-GLRM6



UT25-GLRM12



UT25-GLRM18

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

UT25 | Spiders


AGRM SERIES

BASIC INFORMATION

PRODUCT CODE	UT25-AGRM6	UT25-AGRM12	UT25-AGRM18
WATT	6W	12W	16W
LUMEN	81LM	176LM	151LM
PRODUCT SIZE	114.5*58*25	222*58*25	330*58*25

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE





UT25-AGRM6




UT25-AGRM12



UT25-AGRM18

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.



UT25-SL-5W
φ31 x 94.7 x 114.5mm
Page22

UT25-SL-5W*2
φ31 x 94.7 x 114.5mm
Page22

UT25-SL-7W
φ31 x 144.8 x 114.5mm
Page23


UT25-SL-7W*2
φ31 x 144.8 x 114.5mm
Page23

UT25 | Agusta


BASIC INFORMATION

PRODUCT CODE	UT25-SL-5W	UT25-SL-5W*2
WATT	5W	5W*2
LUMEN	414LM	814LM
PRODUCT SIZE	Φ31*94.7*114.5	Φ31*94.7*114.5
VOLTAGE	40-48V	
CRI	Ra>90	
FINISH	● BK ○ WH	
CCT	3000K / 4000K / 5000K	
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT	

DIMENSION (unit: mm)



BEAM ANGLE





UT25-SL-5W



UT25-SL-5W*2

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.


UT25 | Agusta

BASIC INFORMATION


PRODUCT CODE	UT25-SL-7W	UT25-SL-7W*2
WATT	7W	7W*2
LUMEN	596LM	1247LM
PRODUCT SIZE	Φ31*144.8*114.5	Φ31*144.8*114.5

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE






UT25-SL-7W



UT25-SL-7W*2

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

LVD CB CE FC SAA TÜV



UT25-SL-12W
φ45 x 130.2 x 114.5mm
Page25

UT25-SL-15W
φ45 x 170.2 x 114.5mm
Page25

UT25-HD-12W
φ50 x 156 x 114.5mm
Page26

UT25 | Agusta


SL SERIES

BASIC INFORMATION


PRODUCT CODE	UT25-SL-12W	UT25-SL-15W
WATT	12W	15W
LUMEN	1075LM	1153LM
PRODUCT SIZE	Φ45*130.2*114.5	Φ45*170.2*114.5

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE





UT25-SL-12W



UT25-SL-15W

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

LVD CB CE FC SAA TÜV

GLOSS LIGHT

UT25 | Hydra


HD SERIES

BASIC INFORMATION


PRODUCT CODE	UT25-HD-12W
WATT	12W
LUMEN	952LM
PRODUCT SIZE	Φ50*156*114.5

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE






UT25-HD-12W

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

LVD CB CE FC SAA TÜV

GLOSS LIGHT



UT25-PST-8W
φ42 x 134 x 114.5mm
Page28

UT25-PST-16W-LR
φ42 x 243 x 114.5mm
Page28

UT25-PST-16W-UD
φ42 x 134 x 114.5mm
Page28


UT25 | Pista

BASIC INFORMATION


PRODUCT CODE	UT25-PST-8W	UT25-PSTB-16W-LR	UT25-PSTB-16W-UD
WATT	8W	16W	16W
LUMEN	706LM	1305LM	1305LM
PRODUCT SIZE	Φ42*134*114.5	Φ42*243*114.5	Φ42*134*114.5

VOLTAGE	40-48V
CRI	Ra>90
FINISH	● BK ○ WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE





UT25-PST-8W




UT25-PST-16W-LR



UT25-PST-16-BUD

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.




UT25 | Boling

BASIC INFORMATION

PRODUCT CODE	UT25-BL	UT25-BL2
WATT	8W	8W
LUMEN	881LM	853LM
PRODUCT SIZE	Φ100*123*114.5	Φ100*1000*114.5

VOLTAGE	40-48V
CRI	Ra>90
FINISH	● BK ○ WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE





UT25-BL



UT25-BL2

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.


UT25 | Marlboro


BASIC INFORMATION

PRODUCT CODE	UT25-MBO-A	UT25-MBO-B
WATT	12W	12W
LUMEN	1049LM	1019LM
PRODUCT SIZE	Φ100*118*114.5	Φ100*1025*114.5

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	●3000K / ●4000K / ●5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)





BEAM ANGLE






UT25-MBO-A



UT25-MBO-B

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.



UT25-TB-600
φ27.7 x 602 x 114.5mm
Page34

UT25-TB-300
φ27.7 x 302 x 114.5mm
Page34

UT25-FM-7W
φ32 x H1000 x 114.5mm
Page33

UT25-FM-15W
φ45 x H1000 x 114.5mm
Page33


UT25 | Spider

FM SERIES


BASIC INFORMATION


PRODUCT CODE	UT25-FM-7W	UT25-FM-15W
WATT	7W	15W
LUMEN	596LM	1365LM
PRODUCT SIZE	Φ32*1000*114.5	Φ45*1000*114.5
VOLTAGE	40-48V	
CRI	Ra>90	
FINISH	●BK ○WH	
CCT	3000K / 4000K / 5000K	
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT	

DIMENSION (unit: mm)



BEAM ANGLE





UT25-FM-7W



UT25-FM-15W

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.


UT25 | Vision

TB SERIES

BASIC INFORMATION

PRODUCT CODE	UT25-TB-300	UT25-TB-600
WATT	6W	12W
LUMEN	640LM	1200LM
PRODUCT SIZE	Φ27.7*302*114.5	Φ27.7*602*114.5
VOLTAGE	40-48V	
CRI	Ra>90	
FINISH	●BK ○WH	
CCT	3000K / 4000K / 5000K	
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT	

DIMENSION (unit: mm)



BEAM ANGLE






UT25-TB-300



UT25-TB-600

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.



UT25-NEON-1000
φ22 x H1070 x 144.5
Page36

UT25-NEON-2000
φ22 x H2070 x 144.5
Page36


UT25 | Tube

BASIC INFORMATION

PRODUCT CODE	UT25-NEON-1000	UT25-NEON-2000
WATT	18W	36W
LUMEN	1712LM	3713LM
PRODUCT SIZE	Φ22*1070*114.5	Φ22*2070*114.5

VOLTAGE	40-48V
CRI	Ra>90
FINISH	● BK ○ WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE

360°




UT25-NEON-1000



UT25-NEON-2000

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.




UT25 | Cylinder

BASIC INFORMATION


PRODUCT CODE	UT25-D70B-8W	UT25-D70C-8W	UT25-D70S-8W	UT25-D70P-8W
WATT	8W	8W	8W	8W
LUMEN	488LM	713LM	748LM	643.8LM
PRODUCT SIZE	Φ70*53.6	Φ70*53.6	Φ70*53.6	Φ70*53.6

VOLTAGE	40-48V
CRI	Ra>90
FINISH	● BK ○ WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE





UT25-D70B-8W



UT25-D70C-8W



UT25-D70S-8W



UT25-D70P-8W
WALL WASH

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

UT25 | Moon


BG SERIES

BASIC INFORMATION

PRODUCT CODE	UT25-BG100	UT25-BG120	UT25-BG150
WATT	6W	9W	12W
LUMEN	523LM	903LM	1375LM
PRODUCT SIZE	Φ103*35*166	Φ123*35*186.5	Φ153*35*216.5

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE





UT25-BG100



UT25-BG120



UT25-BG150

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

UT25 | Bend


D90 SERIES


BASIC INFORMATION

PRODUCT CODE	UT25-D70M-8W	UT25-D90M-12W
WATT	8W	10W
LUMEN	694LM	917LM
PRODUCT SIZE	114.5*ϕ70*75	114.5*ϕ90*78.5


VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)





BEAM ANGLE





UT25-D70M-8W



UT25-D90M-12W

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

UT25 | Eclipse

BASIC INFORMATION


PRODUCT CODE	UT25-D180B
WATT	3W
LUMEN	118LM
PRODUCT SIZE	Φ180*46

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT



UT25-D180B

DIMENSION (unit: mm)



Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

LVD CB CE FC SAA TÜV



UT25-D180B
φ180 x 46 mm
Page41



UT25-FMR6
114.5 x 47.6 x 25 mm
Page44

UT25-FMR12
222 x 47.6 x 25 mm
Page44


UT25 | Eclipse


BASIC INFORMATION

PRODUCT CODE	UT25-FMR6	UT25-FMR12
PRODUCT SIZE	114.5*47.6*25	222*47.6*25

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	●3000K / ●4000K / ●5000K
SYSTEM OPTIONS	**On/off** | zigbee | Bluetooth | mijia | tuya | **TRIO CCT**

DIMENSION (unit: mm)








UT25-FMR6




UT25-FMR12

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.








ET25

Size：25X5.5X1000mm



ET25R-FLR200
222 x 27.5 x 25mm
Page48

ET25R-GLR12
222 x 27.5 x 25mm
Page49

ET25-AGR12
222 x 27.5 x 25mm
Page50

ET25R-FLR300
330 x 27.5 x 25mm
Page48


ET25R-GLR18
330 x 27.5 x 25mm
Page49

ET25-AGR18
330 x 27.5 x 25mm
Page50


ET25R-FLR600
444 x 25 x 26.2 mm
Page48

ET25R-FLR900
660 x 25 x 26.2 mm
Page48

Installation Instruction



Please align the copper contacts at the bottom of the lamp with the conductive groove on the track



Hold the lamp firmly and continue to apply force until the lamp is remove


ET25

BASIC INFORMATION

PRODUCT CODE	ET25R-FLR200	ET25R-FLR300	ET25R-FLR600	ET25R-FLR900
WATT	12W	16W	20W	30W
LUMEN	664LM	921LM	/	/
PRODUCT SIZE	222.3*25*25	330.3*25*25	444*25*25	660*25*25

VOLTAGE	40-48V
CRI	Ra>90
FINISH	● BK ○ WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE

100°



ET25R-FLR200



ET25R-FLR300



ET25R-FLR600



ET25R-FLR3900

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

ET25


GLR SERIES

BASIC INFORMATION

PRODUCT CODE	ET25R-GLR12	ET25R-GLR18
WATT	12W	16W
LUMEN	1134LM	1522LM
PRODUCT SIZE	222.3*25*25	330.3*25*25

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE





ET25R-GLR12



ET25R-GLR18

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

ET25


AGR SERIES

BASIC INFORMATION

PRODUCT CODE	ET25-AGR12	ET25-AGR18
WATT	12W	16W
LUMEN	/	/
PRODUCT SIZE	222.3*25*25	330.3*25*25

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE





ET25-AGR12



ET25-AGR18

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

ET25


FLS SERIES

BASIC INFORMATION

PRODUCT CODE	ET25S-FLS12	ET25S-FLS18
WATT	12W	16W
LUMEN	664LM	921LM
PRODUCT SIZE	220.5*25*25	328.5*25*25

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE





ET25S-FLS12



ET25S-FLS18

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

ET25


GLS SERIES

BASIC INFORMATION

PRODUCT CODE	ET25-GLS12	ET25-GLS18
WATT	12W	16W
LUMEN	1134LM	1521LM
PRODUCT SIZE	220.5*25*25	328.5*25*25

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE






ET25-GLS12



ET25-GLS18

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.



ET25-SL-5W
φ31 x 95 x 130mm
Page54

ET25-SL-7W
φ31 x 145 x 130mm
Page54

ET25-SL-12W
φ45 x 130 x 130mm
Page54

ET25-SL-15W
φ45 x 170 x 130mm
Page54


ET25

BASIC INFORMATION


PRODUCT CODE	ET25-SL-5W	ET25-SL-7W	ET25-SL-12W	ET25-SL-15W
WATT	5W	7W	12W	15W
LUMEN	414LM	568LM	961LM	1266LM
PRODUCT SIZE	130*31*95	130*31*145	130*45*130	130*45*170

VOLTAGE	40-48V
CRI	Ra>90
FINISH	● BK ○ WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE





ET25-SL-5W



ET25-SL-7W




ET25-SL-12W



ET25-SL-15W

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.




ET25-HD-12W
φ50 x 156 x 114.5mm
Page56

ET25


BASIC INFORMATION

PRODUCT CODE	ET25-HD-12W
WATT	12W
LUMEN	953LM
PRODUCT SIZE	130*50*156
VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)




BEAM ANGLE





ET25-HD-12W

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.



ET25-PST-8W
φ42 x 134 x 114.5mm
Page58

ET25-PST-16W-A
φ42 x 243 x 114.5mm
Page58

ET25-PST-16W-B
φ42 x 134 x 114.5mm
Page58


ET25

BASIC INFORMATION


PRODUCT CODE	ET25-PST-8W	ET25-PST-16W-UD	ET25-PST-16W-LR
WATT	8W	16W	17W
LUMEN	706LM	1447LM	1345LM
PRODUCT SIZE	130*42*132	130*42*242	130*42*243

VOLTAGE	40-48V
CRI	Ra>90
FINISH	● BK ○ WH
CCT	● 3000K / ● 4000K / ● 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE





ET25-PST-8W




ET25-PST-16W-UD



ET25-PST-16W-LR

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.




ET25

BASIC INFORMATION


PRODUCT CODE	ET25-FM-7W	ET25-FM-15W
WATT	7W	15W
LUMEN	598LM	1365LM
PRODUCT SIZE	130*32*1000	130*45*1000

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE





ET25-FM-7W



ET25-FM-15W

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.


ET25

BASIC INFORMATION

PRODUCT CODE	ET25-TB-300	ET25-TB-600
WATT	6W	12W
LUMEN	566LM	1301LM
PRODUCT SIZE	305*28*85	605*28*85

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE



180°




ET25-TB-300



ETT25-TB-600

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

LVD CB CE FC SAA TÜV



ET25-BL
φ100 x 123 x 114.5mm
Page64

ET25-MBO-A
φ100 x 118 x 114.5mm
Page63

ET25-MBO-B
φ100 x H1025 x 114.5mm
Page63

ET25-BL2
φ100 x H1000 x 114.5mm
Page64

ET25


MBO SERIES

BASIC INFORMATION

PRODUCT CODE	ET25-MBO-A	ET25-MBO-B
WATT	12W	12W
LUMEN	1049LM	1019LM
PRODUCT SIZE	130*100*115	130*100*1000

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)




BEAM ANGLE





ET25-MBO-A



ET25-MBO-B

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

ET25


BL SERIES

BASIC INFORMATION

PRODUCT CODE	ET25-BL	ET25-BL2
WATT	10W	10W
LUMEN	881LM	853LM
PRODUCT SIZE	130*100*125	130*100*1000


VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE






ET25-BL



ET25-BL2

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.



ET25-NEON-1000
φ22 x H1070 x 144.5
Page66

ET25-NEON-2000
φ22 x H2070 x 144.5
Page66


ET25

BASIC INFORMATION

PRODUCT CODE	ET25-NEON-1000	ET25-NEON-2000
WATT	18W	36W
LUMEN	1891LM	3713LM
PRODUCT SIZE	130*22*1070	130*22*2070

VOLTAGE	40-48V
CRI	Ra>90
FINISH	● BK ○ WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)




BEAM ANGLE

360°



ET25-NEON-1000 **ET25-NEON-2000**

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.



ET25-MK-12W
φ150 x 123 mm
Page70

ET25-TLE-7W
φ50.5 x 130 x 154.5 mm
Page68

ET25-TLE-12W
φ50.5 x 130 x 174.5 mm
Page68

ET25-TLE-15W
φ50.5 x 130 x 209.5 mm
Page68

ET25-HALO-12W
φ200 x 104 mm
Page69


ET25

BASIC INFORMATION


PRODUCT CODE	ET25-TLE-7W	ET25-TLE-12W	ET25-TLE-15W
WATT	7W	12W	15W
LUMEN	546LM	935LM	1305LM
PRODUCT SIZE	130*50*154.5	130*50*174.5	130*60*209.5

VOLTAGE	40-48V
CRI	Ra>90
FINISH	● BK ○ WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE





ET25-TLE-7W



ET25-TLE-12W



ET25-TLE-15W

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.


ET25

HALO SERIES

BASIC INFORMATION

PRODUCT CODE	ET25-HALO-12W
WATT	12W
LUMEN	/
PRODUCT SIZE	Φ200*104
VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE





ET25-HALO-12W

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

LVD CB CE FC SAA TÜV

GLOSS LIGHT


ET25

MK SERIES

BASIC INFORMATION

PRODUCT CODE	ET25-MK-12W
WATT	12W
LUMEN	/
PRODUCT SIZE	Φ150*123
VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE






ET25-MK-12W


Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.


LVD CB CE FC SAA TÜV

GLOSS LIGHT



Installation Instruction






MT25

BASIC INFORMATION

PRODUCT CODE	MT25-FLS12	MT25-FLS18
WATT	12W	16W
LUMEN	644LM	922LM
PRODUCT SIZE	248*25*27.5	370*25*27.5

VOLTAGE	40-48V
CRI	Ra>90
FINISH	● BK ○ WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE





MT25-FLS12



MT25-FLS18

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.


MT25

BASIC INFORMATION

PRODUCT CODE	MT25-GLS12	MT25-GLS18
WATT	12W	16W
LUMEN	1134LM	1521LM
PRODUCT SIZE	248*25*27.5	370*25*27.5

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)




BEAM ANGLE






MT25-GLS12



MT25-GLS18

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.



MT25-SL-5W
φ31 x 94.7 x 114.5mm
Page75

MT25-SL-7W
φ31 x 144.8 x 114.5mm
Page75

MT25-SL-12W
φ45 x 130.2 x 114.5mm
Page75

MT25-SL-15W
φ45 x 170.2 x 114.5mm
Page75

MT25-HD-12W
φ50 x 156 x 114.5mm
Page76

MT25


SL SERIES

BASIC INFORMATION


PRODUCT CODE	ET25-SL-5W	ET25-SL-7W	ET25-SL-12W	ET25-SL-15W
WATT	5W	7W	12W	15W
LUMEN	414LM	568LM	961LM	1266LM
PRODUCT SIZE	325.3*25*25	625.3*25*25	625.3*25*25	1225.3*25*25

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE





MT25-SL-5W



MT25-SL-7W



MT25-SL-12W



MT25-SL-15W

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

MT25


HD SERIES

BASIC INFORMATION

PRODUCT CODE	MT25-HD-12W
WATT	12W
LUMEN	953LM
PRODUCT SIZE	114.5*50*156

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)




BEAM ANGLE





MT25-HD-12W

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.



MT25-PST-8W
φ42 x 134 x 114.5mm
Page78

MT25-PST-16W-LR
φ42 x 243 x 114.5mm
Page78

MT25-PST-16W-UD
φ42 x 134 x 114.5mm
Page78


MT25

BASIC INFORMATION


PRODUCT CODE	MT25-PST-8W	MT25-PST-16W-LR	MT25-PST-16W-UD
WATT	8W	16W	16W
LUMEN	706LM	1447LM	1345LM
PRODUCT SIZE	L114.5*42*132	114.5*42*132	114.5*42*242

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	●3000K / ●4000K / ●5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE





MT25-PST-8W




MT25-PST-16W-LR



MT25-PST-16W-UD

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.




MT25


BASIC INFORMATION

PRODUCT CODE	MT25-FM-7W	MT25-FM-15W
WATT	7W	15W
LUMEN	598LM	13654LM
PRODUCT SIZE	114.5*32*1000	114.5*45*1000
VOLTAGE	40-48V	
CRI	Ra>90	
FINISH	●BK ○WH	
CCT	3000K / 4000K / 5000K	
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT	

DIMENSION (unit: mm)



BEAM ANGLE





MT25-FM-7W



MT25-FM-15W

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.


MT25

BASIC INFORMATION

PRODUCT CODE	MT25-TB-300	MT25-TB-600
WATT	6W	12W
LUMEN	566LM	1301
PRODUCT SIZE	114.5*100*125	114.5*100*1000

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT


DIMENSION (unit: mm)



BEAM ANGLE




180°



Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

LVD CB CE FC SAA TÜV



MT25


MBO SERIES


BASIC INFORMATION

PRODUCT CODE	MT25-MBO-A	MT25-MBO-B
WATT	12W	12W
LUMEN	1049LM	1019LM
PRODUCT SIZE	114.5*100*115	114.5*100*1000mm

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)





BEAM ANGLE





MT25-MBO-A



MT25-MBO-B

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.

MT25


BL SERIES


BASIC INFORMATION

PRODUCT CODE	MT25-BL	MT25-BL2
WATT	10W	10W
LUMEN	881LM	853LM
PRODUCT SIZE	114.5*100*125	114.5*100*1000

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)





BEAM ANGLE






MT25-BL



MT25-BL2

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.



MT25-NEON-1000
φ22 x H1070 x 144.5
Page86

MT25-NEON-2000
φ22 x H2070 x 144.5
Page86


MT25

BASIC INFORMATION

PRODUCT CODE	MT25-NEON-1000	MT25-NEON-2000
WATT	18W	36W
LUMEN	1891LM	3714LM
PRODUCT SIZE	114.5*22*1070	114.5*22*2070

VOLTAGE	40-48V
CRI	Ra>90
FINISH	● BK ○ WH
CCT	● 3000K / ● 4000K / ● 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE

360°




MT25-NEON-1000



MT25-NEON-2000

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.



MT25-ZJ-7W
114.5 x φ50 x 150.5mm
Page88

MT25-ZJ-12W
114.5 x φ60 x 198.5mm
Page88

MT25-ZJ-15W
114.5 x φ70 x 203.5mm
Page88


MT25

BASIC INFORMATION

PRODUCT CODE	MT25-ZJ-7W	MT25-ZJ-12W	MT25-ZJ-15W
WATT	7W	12W	15W
LUMEN	623LM	1003LM	1537LM
PRODUCT SIZE	114.5*50*144	114.5*60*192	114.5*70*197

VOLTAGE	40-48V
CRI	Ra>90
FINISH	●BK ○WH
CCT	3000K / 4000K / 5000K
SYSTEM OPTIONS	On/off | zigbee | Bluetooth | mijia | tuya | TRIO CCT

DIMENSION (unit: mm)



BEAM ANGLE



10°-60°



MT25-ZJ-7W




MT25-ZJ-12W



MT25-ZJ-15W

Notes:
*For other options special request,please contact us.
*For the most updated product information,please go to our webesite.



SPECIAL LED

FOR COMMERCIAL PRODUCT SHOWCASING

For some of its products,we offers the possibility to provide them with a special led,designed to create an illumination focused on visually promoting goods or products for commercial purposes.it is a high chromaticity led,capable of identiflying the colour shades that produce a positive psychological perception of the illuminated object.

This special LED lighting source offers a much more attractive and intense colour range than a conventional LED, besides being much wider. Technically, this is possible thanks to a special LED setting that includes a <special saturation parameter>, capable of highlighting the objects colours and materials in such a way that they seem more attractive within the visible light spectrum. To achieve this performance, in each case, the appropriate COB and specific phosphor coating are carefully selected.